

From: Shawn Garvin/R3/USEPA/US
Sent: 2/17/2012 3:00:35 PM
To: Richard Windsor/DC/USEPA/US@EPA; Perciasepe.Bob@epamail.epa.gov
CC: Bob Sussman/DC/USEPA/US@EPA; Mathy Stanislaus/DC/USEPA/US@EPA; Brendan Gilfillan/DC/USEPA/US@EPA
Subject: Re: Dimock Update

FYI - Was just informed that yesterday Cabot began providing water to the resident referred to in my message below. This was a home that PADEP and Cabot took split samples. They apparently had similar results as we did. Subsequently, at this point we will not be providing water.

We will continue to work with OSWER on where we go from here.

Let me know if you have any questions.

Thank you - Shawn

----- Original Message -----

From: Shawn Garvin
Sent: 02/17/2012 02:50 PM EST
To: Richard Windsor; Bob Perciasepe
Cc: Bob Sussman; Mathy Stanislaus; Brendan Gilfillan
Subject: Dimock Update

Administrator - I wanted to update you on the latest water sampling results we have for the homes in Dimock, Pa. To date, EPA has collected samples from 57 homes. Three residences are currently scheduled to be sampled in March and there are a few more homes that we are still attempting to schedule.

We have fast tracked the analysis of 13 compounds for analysis and review. We have received preliminary results for approximately 50 residences. As a result of this sampling, we identified an additional home where we feel temporary water should be supplied in the Dimock community.

Ex. 5 - Deliberative

Let me know if you have any questions. I look forward to your thoughts.

Thanks - Shawn